

Eaton 9SX1000G

Catalog Number: 9SX1000G

Eaton 9SX online, extended runtime UPS, 1000 VA, 900 W, 208V, C14 input, Outputs (6) C13, 9.9"Hx6.3"Wx15.1"D, 30.9 lb., network card optional



General specifications

Product Name	Catalog Number
Eaton 9SX UPS	9SX1000G
UPC	Product Length/Depth
743172091284	15.1 in
Product Height	Product Width
9.9 in	6.3 in
Product Weight	Warranty
30.4 lb	3 year limited
Compliances	Certifications
FCC Compliant CE Marked	cULus Listed

Battery

Runtime graph

\$row.attributeValue.cdata

Battery management

ABM technology (3-stage charging extends battery service life by 50% and provides advance warning for battery replacement)

Battery replacement

Hot-swappable internal batteries and extended battery modules (EBMs)

Extended battery capability

Yes

Electrical output

Receptacle

(6) C13

Topology

Online/Double-conversion

Wattage

900 W

VA rating

1000 VA

Output waveform

True sine wave

Voltage

208 V

Output power factor

0.9

Output nominal voltage

208V default (200/208/220/230/240/250V)

Output frequency

50/60 Hz

Feed type

1

Electrical input

Input connection

C14

Input cord length

8 ft

Input frequency range

60 Hz: 50–70 Hz, 50 Hz: 40–60 Hz

Input power factor

>.99

Communications

Communication

- (1) MiniSlot
- (1) USB port
- (1) Serial RS-232 port
- (1) RPO/ROO/Signal input terminal
- (1) mini-terminal block for output relay

Expansion slots

- (1) Mini-Slot (MS) expansion port. Optional connectivity cards may be ordered separately.
 - Gigabit Web/SNMP card

part number: NETWORK-M2

- Modbus card part number: INDGW-M2
- Relay card part number: RELAY-MS

User interface

5-button graphical user interface

Potential free switch contact

Yes

Environmental

Temperature range

0° to 40°C (32° to 104°F)

Additional specifications

Form factor

Tower

Construction type

Free standing model

Package contents

9SX 1000 VA UPS
Quick start guide
(2) IEC C13-C14 jumpers
1.8m
RS-232 serial cable
USB cable

Internal bypass

Yes

Warranty and support

Standard factory warranty

- 3-YEAR FACTORY WARRANTY
- 3 years
 - Parts, electronics and batteries coverage
 - Standard ground shipping
 - Technical support

Extended service plans

- ADVANCED DEPOT EXCHANGE
- 5-year depot repair: 9SW5Y-1000UC
 - Expedited parts coverage for 5 years
 - Parts, electronics and UPS batteries coverage
 - Next business day

Resources

Brochures

[Eaton 9SX UPS brochure](#)

Certification reports

[EC DoC Eaton 9SX](#)

Characteristic curve

[9SX1000G ups-battery-runtime graph](#)

Drawings

[9SX1000G UPS 3D technical drawing](#)

[9SX1000G UPS 2D technical drawing](#)

[Eaton 9SX UPS visio stencils](#)

Manuals and user guides

[Eaton 9SX UPS installation and user manual](#)

[Quick start guide for Eaton 9SX UPS 208V models](#)

Specifications and datasheets

[Eaton 9SX UPS technical specifications](#)

shipping

- Technical support

5-YEAR ON-SITE PLAN:

WFLN75XX-2509UC

- On-site parts and labor

coverage for years 5

- Parts, electronics and UPS

batteries coverage

- 24x7 on-site labor

coverage, next-day

response

- Next-day shipping

- Technical support



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)