

# Eaton 9SX3000HW

Catalog Number: 9SX3000HW

Eaton 9SX online, extended runtime UPS, 3000 VA, 2700 W, Hardwired input/output, 13.6"Hx8.4"Wx16.2"D, 77.2 lb., network card optional

Photo is representative



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton 9SX UPS	9SX3000HW
<b>UPC</b>	<b>Product Length/Depth</b>
743172091277	16.2 in
<b>Product Height</b>	<b>Product Width</b>
13.6 in	8.4 in
<b>Product Weight</b>	<b>Warranty</b>
77.2 lb	3 year limited
<b>Compliances</b>	<b>Certifications</b>
FCC Compliant CE Marked	cULus Listed

## Battery

### Runtime graph

\$row.attributeValue.cdata

### Battery management

ABM technology (3-stage charging extends battery service life by 50% and provides advance warning for battery replacement)

### Battery replacement

Hot-swappable internal batteries and extended battery modules (EBMs)

### Extended battery capability

Yes

## Electrical output

### Receptacle

Hardwired

### Topology

Online/Double-conversion

### Wattage

2700 W

### VA rating

3000 VA

### Output waveform

True sine wave

### Voltage

120V

### Output power factor

0.9

### Output nominal voltage

120V default (100/110/120/125V)

### Output frequency

50/60 Hz

### Feed type

1

## Electrical input

### Input connection

Hardwired

### Input frequency range

60 Hz: 50–70 Hz, 50 Hz: 40–60 Hz

### Input power factor

>.99

## Communications

### Communication

- (1) MiniSlot
- (1) USB port
- (1) Serial RS-232 port
- (1) RPO/ROO/Signal input terminal
- (1) mini-terminal block for output relay

### Expansion slots

- (1) Mini-Slot (MS) expansion port. Optional connectivity cards may be ordered separately.
  - Gigabit Web/SNMP card

part number: NETWORK-M2

- Modbus card part number: MODBUS-MS
- Relay card part number: RELAY-MS

#### User interface

5-button graphical user interface

#### Potential free switch contact

Yes

## Environmental

#### Temperature range

0° to 40°C (32° to 104°F)

## Additional specifications

#### Form factor

Tower

#### Construction type

Free standing model

#### Package contents

9SX 3000 VA hardwired  
UPS  
Quick start guide  
RS-232 serial cable  
USB cable

#### Internal bypass

Yes

## Warranty and support

#### Standard factory warranty

3-YEAR FACTORY  
WARRANTY

- 3 years
- Parts, electronics and batteries coverage
- Standard ground shipping
- Technical support

#### Extended service plans

ADVANCED DEPOT  
EXCHANGE

- 5-year depot repair: 9SW5Y-3000UC
- Expedited parts coverage for 5 years
- Parts, electronics and UPS batteries coverage
- Next business day shipping

## Resources

#### Brochures

[Eaton 9SX UPS brochure](#)

#### Certification reports

[EC DoC Eaton 9SX](#)

#### Drawings

[9SX3000HW UPS 3D technical drawing](#)

[Eaton 9SX UPS visio stencils](#)

[9SX3000HW UPS 2D technical drawing](#)

#### Manuals and user guides

[Eaton 9SX UPS installation and user manual](#)

[Quick start guide for Eaton 9SX UPS 120V models](#)

#### Specifications and datasheets

[Eaton 9SX UPS technical specifications](#)

[Eaton Specification Sheet - 9SX3000HW](#)

- Technical support
- 5-YEAR ON-SITE PLAN:  
WFLN75XX-6009UC
- On-site parts and labor coverage for years 5
  - Parts, electronics and UPS batteries coverage
  - 24x7 on-site labor coverage, next-day response
  - Next-day shipping
  - Technical support



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)