

SANITARY (WATERTIGHT) PITLESS OR WELL CAPS

All Caps Certified Watertight -
Pitless Adapter Standard PAS-2,
PAS-97(2019)(R 2023), ASSE Standard
#1093-2019(R 2023) and Illinois Code.



WC Series



WCI Series



WCP Series (WCPS500 Shown)



WCOC
shown
with top
tapping for
chlorination
or water
sampling.

WCO Series (WCOC600 Shown)



WCOG
shown
with
grounding
screw.

WCO Series (WCOG Shown)



WARNING: This product meets Federal
USA Drinking Water requirements but has
not been specifically tested or approved
as no-lead in the State of California.

MERRILL WC SERIES SANITARY (WATERTIGHT) CAPS

For use with all Pitless Units and Adapters

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Conduit Tap Size	Vent Size	Approx. Wt./Lbs.
WC300	6 42367 41843 4	3"	4-1/2"	1"	1/2"	7.3
WC400	6 42367 02863 3	4"	4-1/2"	1"	1/2"	9.5
WC500	6 42367 02865 7	5"	5-9/16"	1"	3/4"	11.7
WC600	6 42367 02867 1	6"	6-5/8"	1-1/4"	3/4"	13.8
WC800	6 42367 02869 5	8"	8-5/8"	1-1/2"	1"	29.7

- Painted Cast Iron
- Stainless Steel Bolts
- Galvanized Vent Ell with Stainless Steel Screen Included
- Two Neoprene O-Rings
- Individually Boxed

MERRILL WCI SERIES SANITARY (WATERTIGHT) CAPS

For use with all Pitless Adapters

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Conduit Tap Size	Vent Size	Approx. Wt./Lbs.
WCI6	6 42367 02891 6	6"	6-5/8"	1"	3/8" Dia.	10.8
WCI6T100	6 42367 45377 0	6"	6-5/8"	1"	3/8" Dia.	10.8

With 1" Top Tap

WCI6T100	6 42367 45377 0	6"	6-5/8"	1"	3/8" Dia.	10.8
----------	-----------------	----	--------	----	-----------	------

With Grounding Screw & Terminal Lugs

WCI6G	6 42367 05885 2	6"	6-5/8"	1"	3/8" Dia.	10.9
-------	-----------------	----	--------	----	-----------	------

- Plated Bolts
- Painted Cast Iron
- Wide Compression Gasket
- Individually Boxed

MERRILL WCP SERIES SANITARY (WATERTIGHT) CAPS

For use with all Pitless Adapters (Aluminum Top - PVC Bottom)

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Conduit Tap Size	Vent Size	Approx. Wt./Lbs.
WCP500	6 42367 03865 6	5"	5-1/2"	1"	3/4"	2.4

No Adapter for 1" NPT

WCPS500	6 42367 05887 6	5"	5-1/2"	1"	3/4"	2.4
---------	-----------------	----	--------	----	------	-----

With Grounding Screw & Terminal Lugs

WCPG500	6 42367 05888 3	5"	5-1/2"	1"	3/4"	2.5
---------	-----------------	----	--------	----	------	-----

- Aluminum Casting
- Plated Bolts
- Individually Boxed
- Bronze Screen Included
- PVC Base

MERRILL WCO SERIES SANITARY (WATERTIGHT) CAPS

For use with all Pitless Adapters (All Aluminum Cap)

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Top Tapping	Conduit Tap Size	Vent Size	Approx. Wt./Lbs.
-----------	-----------------------	------------------	------------------	-------------	------------------	-----------	------------------

Standard Aluminum Cap & 1" PVC Nipple

WCOS400	6 42367 04447 3	4"	4-1/2"	---	1"	1/2"	2.0
---------	-----------------	----	--------	-----	----	------	-----

WCOS500	6 42367 04448 0	5"	5-9/16"	---	1"	3/4"	2.4
---------	-----------------	----	---------	-----	----	------	-----

WCOS600	6 42367 04449 7	6"	6-5/8"	---	1"	3/4"	2.9
---------	-----------------	----	--------	-----	----	------	-----

Aluminum Cap With Grounding Screw, Terminal Lugs & 1" PVC Nipple

WCOG400	6 42367 04450 3	4"	4-1/2"	---	1"	1/2"	2.0
---------	-----------------	----	--------	-----	----	------	-----

WCOG500	6 42367 04451 0	5"	5-9/16"	---	1"	3/4"	2.4
---------	-----------------	----	---------	-----	----	------	-----

WCOG600	6 42367 04452 7	6"	6-5/8"	---	1"	3/4"	2.9
---------	-----------------	----	--------	-----	----	------	-----

Aluminum Cap With Top Tapping & 1" PVC Nipple

WCOC400	6 42367 04453 4	4"	4-1/2"	1"	1"	1/2"	1.9
---------	-----------------	----	--------	----	----	------	-----

WCOC500	6 42367 04454 1	5"	5-9/16"	1-1/4"	1"	3/4"	2.4
---------	-----------------	----	---------	--------	----	------	-----

WCOC600	6 42367 04455 8	6"	6-5/8"	1-1/4"	1"	3/4"	2.8
---------	-----------------	----	--------	--------	----	------	-----

Aluminum Cap With Grounding Screw, Terminal Lugs, Top Tapping & 1" PVC Nipple

WCOGC400	6 42367 04456 5	4"	4-1/2"	1"	1"	1/2"	2.0
----------	-----------------	----	--------	----	----	------	-----

WCOGC500	6 42367 04457 2	5"	5-9/16"	1-1/4"	1"	3/4"	2.4
----------	-----------------	----	---------	--------	----	------	-----

WCOGC600	6 42367 04458 9	6"	6-5/8"	1-1/4"	1"	3/4"	2.9
----------	-----------------	----	--------	--------	----	------	-----

- Aluminum Casting
- Gasket Seal
- Acorn Nut Protects Threads
- Bronze Screen Included
- Individually Boxed



LEAD



MERRILL
MANUFACTURING



SANITARY (WATERTIGHT) PITLESS OR WELL CAPS

All Caps Certified Watertight -
Pitless Adapter Standard PAS-2,
PAS-97(2019)(R 2023), ASSE Standard
#1093-2019(R 2023) and Illinois Code.



WCOP Series (WCOP Shown)
WCOP shown with PVC base



WCOPP Series (WCOP504P Shown)



WCOPP Series (WCOP403P Shown)



WCH Series



WCB Series



WARNING: This product meets Federal
USA Drinking Water requirements but has
not been specifically tested or approved as
no-lead in the State of California.

MERRILL WCOP SERIES SANITARY (WATERTIGHT) CAPS

For use with all Pitless Adapters

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Conduit Tap Size	Vent Size	Approx. Wt./Lbs.
-----------	-----------------------	------------------	------------------	------------------	-----------	------------------

With PVC Base and Aluminum Top Cap

WCOP400	6 42367 06153 1	4"	4-1/2"	1"	1/2"	1.6
WCOP500	6 42367 06154 8	5"	5-9/16"	1"	3/4"	1.9

With PVC Base and Aluminum Top Cap with 1-1/4" Top Tap

WCOPC400	6 42367 06174 6	4"	4-1/2"	1"	1/2"	1.6
WCOPC500	6 42367 45386 2	5"	5-9/16"	1"	3/4"	1.9

With Grounding Screw & Terminal Lugs in PVC Base - Added

WCOPG400	6 42367 06266 8	4"	4-1/2"	1"	1/2"	1.6
WCOPG500	6 42367 06267 5	5"	5-9/16"	1"	3/4"	2.0

- Aluminum Top Casting
- Gasket Seal
- Acorn Nut Protects Threads
- Bronze Screen Included
- Individually Boxed

MERRILL WCOPP SERIES SANITARY (WATERTIGHT) CAPS

For use with all Pitless Adapters

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Conduit Tap Size	Vent Size	Approx. Wt./Lbs.
-----------	-----------------------	------------------	------------------	------------------	-----------	------------------

With PVC Base - Molded Plastic Top Case with 4 Bolt Holes

WCOP404P	6 42367 44245 3	4"	4-1/2"	1"	1/2"	1.0
WCOP504P	6 42367 44246 0	5"	5-9/16"	1"	5/8"	1.3

4 Bolt Hole Cap With Grounding Screw & Terminal Lugs in PVC Base - Added

WCOPG404P	6 42367 44247 7	4"	4-1/2"	1"	1/2"	1.1
WCOPG504P	6 42367 44248 4	5"	5-9/16"	1"	5/8"	1.4

With PVC Base - Molded Plastic Top Case with 3 Bolt Holes

WCOP403P	6 42367 44037 4	4"	4-1/2"	1"	1/2"	1.0
WCOP503P	6 42367 44038 1	5"	5-9/16"	1"	5/8"	1.3

- Molded Plastic Top (UV Resistant)
- Gasket Seal
- Acorn Nut Protects Threads (Do Not Rust)
- Stainless Steel Screen Included
- Room for Wrench Around the Bolts for Easier Use
- Cap Bolts Do Not Fall Out of PVC Bottom Ring - O-ring holds in place
- Ground Screw Model - Brass Insert in the PVC Bottom Ring with a Green Ground Screw and 2 Terminal Lugs

MERRILL WCH SERIES SANITARY (WATERTIGHT) CAPS

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Conduit Tap Size	Vent Size	Approx. Wt./Lbs.
-----------	-----------------------	------------------	------------------	------------------	-----------	------------------

WCH1200	6 42367 43886 9	12"	12-3/4"	1-1/4"	3/4"	10.2
---------	-----------------	-----	---------	--------	------	------

- Cast Aluminum
- Two Neoprene O-Rings
- Stainless Steel Bolts
- Stainless Steel Screen Included

MERRILL WCB SERIES SANITARY (WATERTIGHT) CAPS

For use with all Pitless Units and Adapters

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Conduit Tap Size	Vent Tap Size	Approx. Wt./Lbs.
-----------	-----------------------	------------------	------------------	------------------	---------------	------------------

WCB400	6 42367 02871 8	4"	4-1/2"	1-1/2"	1"	14.3
WCB500	6 42367 02872 5	5"	5-9/16"	1-1/2"	1"	15.9
WCB600	6 42367 02873 2	6"	6-5/8"	1-1/2"	1-1/4"	24.1
WCB800	6 42367 02890 9	8"	8-5/8"	1-1/2"	2"	39.3
WCB100	6 42367 02870 1	10"	10-3/4"	3"	2-1/2"	58.6


With Grounding Screw

WCBG400	6 42367 09681 6	4"	4-1/2"	1-1/2"	1"	14.3
WCBG500	6 42367 41883 0	5"	5-9/16"	1-1/2"	1"	15.9
WCBG600	6 42367 06327 6	6"	6-5/8"	1-1/2"	1-1/4"	24.1
WCBG800	6 42367 06328 3	8"	8-5/8"	1-1/2"	2"	39.3
WCBG100	6 42367 08020 4	10"	10-3/4"	3"	2-1/2"	58.6

- Painted Cast Iron
- Wide Compression Gasket
- Plated Bolts
- Individually Boxed

VENT CAPS AND ACCESSORIES

The watertight well cap provides protection to the exposed portion of the well casing by being tamper-resistant, forming a protective cover from the elements, and being resistant to the entry of vermin or contaminants. Quality watertight well caps of various designs are listed by Water Systems Council as approved under standard PAS-97(2019) (R 2023) and ASSE Standard #1093-2019(R 2023). The listed well caps have been tested by an independent laboratory and certified to have passed the testing standard PAS-97(2019)(R 2023) and ASSE Standard #1093-2019(R 2023).



WCABS Series



VC Series




VCM Series



WV100



405



WL1



WARNING: This product meets Federal USA Drinking Water requirements but has not been specifically tested or approved as no-lead in the State of California.

WATERTIGHT WELL CAPS - ABS RESIN

For use with SP Pitless Units and SPK Pitless Kits

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Conduit Tap Size	Vent Size	Approx. Wt./Lbs.
WCABS400	6 42367 10565 5	4"	4-1/2"	1-1/4" IPS	7/16"	2.2
WCABS600	6 42367 08944 3	6"	6-5/8"	1-1/4" IPS	7/16"	4.0

- Cap fits 6" IPS casing with 1-1/4" IPS conduit tap
- Watertight
- Hi-impact ABS resin
- Vermin Proof
- Formulated for outdoor weatherability

MERRILL VC SERIES VENT CAPS

For use with Pitless Adapters (All Aluminum)

Order No.	UPC Bar Code (Qty. 1)	Casing I.D. Size	Casing O.D. Size	Conduit Size	Approx. Wt./Lbs.	DPM No.
VC400	6 42367 02841 1	4"	4-1/2"	1"	1.0	C4
VC500	6 42367 02842 8	5"	5-9/16"	1"	1.5	C5
VC558	6 42367 02843 5	5-5/8"	6-1/4"	1"	1.8	C56
VC600	6 42367 02844 2	6"	6-5/8"	1"	1.9	C6
VC700	6 42367 02845 9	6-3/8"	7"	1"	2.1	C7
VC800	6 42367 02846 6	8"	8-5/8"	1"	2.6	C8

- Aluminum Casting
- 2-Cup Point Socket Head Set Screws

MERRILL VCMi MULTISIZE VENT CAP

For use with Pitless Adapters

Order No.	UPC Bar Code (Qty. 1)	Casing Sizes	Conduit Size	Approx. Wt./Lbs.
VCMi6	6 42367 02851 0	5-5/8" thru 6-1/4"	3/4"	4.2

- Painted Heavy Cast Iron
- 4 Hex Head Cap Screws
- Individually Boxed

SCREENED WELL VENT - MUSHROOM STYLE

Order No.	UPC Bar Code (Qty. 1)	Thread Size	Vent Fits Baker Cap	Approx. Wt./Lbs.
WV75	6 42367 42155 7	3/4"	N/A	0.3
WV100	6 42367 03026 1	1"	WCM6, WCB400, WCB500	0.3
WV125	6 42367 03027 8	1-1/4"	WCB600	0.5
WV200	6 42367 03028 5	2"	WCB800	1.0

- Galvanized Casting
- Bronze Screen

GALVANIZED VENT ELL - WITH STAINLESS STEEL SCREEN

Order No.	UPC Bar Code (Qty. 1)	Thread Size	Vent Fits MERRILL WC	Approx. Wt./Lbs.
405	6 42367 00219 0	1/2" NPT	WC400	0.2
505	6 42367 00331 9	3/4" NPT	WC500, WC600	0.4
805	6 42367 00656 3	1" NPT	WC800	0.6

WELL LOCATOR

Order No.	UPC Bar Code (Qty. 1)	Description	Approx. Wt./Lbs.
WL1	6 42367 11839 6	Magnet with handle	1.5

- Handle marks where the well is
- Center rig up to the well, quick and easy
- Backing up is no longer a guess
- Magnetic pick up tool



No-Lead

**MERRILL**
MANUFACTURING**3**

WATERTIGHT CAP PARTS

WC Series Watertight Cap

Order No.	UPC Bar Code (Qty. 1)	Parts Description	Approx. Wt./Lbs.
WC400 Parts - 4"			
401	6 42367 00215 2	Cap	1.90
402	6 42367 42902 7	Cap Screws(4)	0.06
OR249	6 42367 00217 6	Cap O-Ring	0.01
404	6 42367 00218 3	Adapter Head Casting	4.49
405	6 42367 00219 0	Screen Air Vent	0.22
OR349	6 42367 00220 6	Head O-Ring	0.02
407	6 42367 00221 3	Clamping Ring	1.38
408	6 42367 42903 4	Head Ring Screws(4)	0.06

WC500 Parts - 5"			
501	6 42367 00315 9	Cap	3.18
402	6 42367 42902 7	Cap Screws(4)	0.06
OR257	6 42367 00324 1	Cap O-Ring	0.01
504	6 42367 00327 2	Adapter Head Casting	5.30
505	6 42367 00331 9	Screen Air Vent	0.38
OR433	6 42367 00334 0	Head O-Ring	0.03
507	6 42367 00335 7	Clamping Ring	1.72
408	6 42367 42903 4	Head Ring Screws(4)	0.06

WC600 Parts - 6"			
601	6 42367 00437 8	Cap	4.08
402	6 42367 42902 7	Cap Screws(4)	0.06
OR262	6 42367 00439 2	Cap O-Ring	0.01
604	6 42367 00440 8	Adapter Head Casting	6.39
505	6 42367 00331 9	Screen Air Vent	0.38
OR439	6 42367 00442 2	Head O-Ring	0.03
607	6 42367 00443 9	Clamping Ring	1.54
408	6 42367 42903 4	Head Ring Screws(4)	0.06

WC800 Parts - 8"			
801	6 42367 00652 5	Cap	8.73
802	6 42367 42904 1	Cap Screws(4)	0.06
OR270	6 42367 00654 9	Cap O-Ring	0.02
804	6 42367 00655 6	Adapter Head Casting	15.28
805	6 42367 00656 3	Screen Air Vent	0.45
OR446	6 42367 00657 0	Head O-Ring	0.04
807	6 42367 00658 7	Clamping Ring	3.37
808	6 42367 42905 8	Head Ring Screws(4)	0.08

WC16 Series Watertight Cap

Order No.	UPC Bar Code (Qty. 1)	Parts Description	Approx. Wt./Lbs.
WC1601	6 42367 42906 5	Cap Casting	6.60
WC16G	6 42367 02894 7	Rubber Gasket	0.10
WC16S	6 42367 02896 1	Rubber Seal	0.61
WC1604	6 42367 42907 2	Clamping Ring Casting	3.26
38X250	6 42367 42908 9	Hex Bolt with Nut(5)	0.10
WC1605	6 42367 42909 6	Bronze Screen	0.01
GG51/4	6 42367 01602 9	Grounding Screw	0.02

WCM6 Series Watertight Cap

Order No.	UPC Bar Code (Qty. 1)	Parts Description	Approx. Wt./Lbs.
WCM601	6 42367 42911 9	Cap Casting	10.00
WC16G	6 42367 02894 7	Rubber Gasket	0.10
WCM6S	6 42367 04461 9	Rubber Seal	0.61
WCM604	6 42367 42912 6	Clamping Ring Casting	3.26
38X250	6 42367 42908 9	Hex Bolt with Nut(5)	0.10
1"PLUG	6 42367 03105 3	Square Head Plug - 1"	0.23

WCP500 Series Watertight Cap - 5 "

Order No.	UPC Bar Code (Qty. 1)	Parts Description	Approx. Wt./Lbs.
WCP501	6 42367 03934 9	Cap Casting	1.65
WCP502	6 42367 03960 8	Bottom Ring (PVC)	0.59
25X100	6 42367 42914 0	Hex Bolt with Nut (4)	0.02
WCP503	6 42367 04462 6	Conduit Adapter	0.09
WCP504	6 42367 04253 0	Bronze Screen	0.01
WCP505	6 42367 04254 7	Snap Ring	0.01
GG51/4	6 42367 01602 9	Grounding Screw	0.02

WCB Series Watertight Cap

Order No.	UPC Bar Code (Qty. 1)	Parts Description	Approx. Wt./Lbs.
WCB400 Parts - 4"			
WCB401	6 42367 03843 4	Cap Casting	13.00
38X200S	6 42367 42915 7	Square Head Bolt w/Nut(ea)	0.09
1"PLUG	6 42367 03105 3	Square Head Plug - 1"	0.23
WCB400PG	6 42367 03840 3	Paper Gasket	0.04
WCB404	6 42367 03846 5	Retainer Ring Casting	3.14
38X350S	6 42367 42916 4	Square Head Bolt w/Nut(ea)	0.12
WCB400RG	6 42367 03842 7	Rubber Gasket	0.26
WCB406	6 42367 03850 2	Clamping Ring Casting	3.06
38X250S	6 42367 42917 1	Square Head Bolt w/Nut(ea)	0.10

WCB500 Parts - 5"			
WCB501	6 42367 03854 0	Cap Casting	6.09
38X200S	6 42367 42915 7	Square Head Bolt w/Nut(ea)	0.09
1"PLUG	6 42367 03105 3	Square Head Plug - 1"	0.23
WCB500PG	6 42367 03851 9	Paper Gasket	0.05
WCB504	6 42367 03857 1	Retainer Ring Casting	3.31
38X400S	6 42367 42918 8	Square Head Bolt w/Nut(ea)	0.12
WCB500RG	6 42367 03853 3	Rubber Gasket	0.39
WCB506	6 42367 03861 8	Clamping Ring Casting	3.46
38X250S	6 42367 42917 1	Square Head Bolt w/Nut(ea)	0.10

WCB600 Parts - 6"			
WCB601	6 42367 02879 4	Cap Casting	12.49
1-1/4PLUG	6 42367 00023 3	Square Head Plug 1-1/4"	0.36
WCB600PG	6 42367 02875 6	Paper Gasket	0.06
WCB604	6 42367 02883 1	Retainer Ring Casting	3.96
38X400S	6 42367 42918 8	Square Head Bolt w/Nut(ea)	0.12
WCB600RG	6 42367 02877 0	Rubber Gasket	0.50
WCB606	6 42367 02887 9	Clamping Ring Casting	4.79
38X250S	6 42367 42917 1	Square Head Bolt w/Nut(ea)	0.10

WCO Series Watertight Cap

Order No.	UPC Bar Code (Qty. 1)	Parts Description	Approx. Wt./Lbs.
WCO400 Parts - 4"			
WCO4T	6 42367 04613 2	Cap Casting	1.07
WCO4B	6 42367 04621 7	WCO4 Bottom Ring	0.31
WCOP4B	6 42367 06475 4	WCOP400 Plastic Bottom	0.41
WCO4M	6 42367 07202 5	WCO4 Middle Ring	0.55
WCO4G	6 42367 04567 8	Gasket	0.05
5/8SCREEN	6 42367 04610 1	Vent Screen	0.01
5/8SNAPRING	6 42367 04611 8	Snap Ring	0.01
1/4X7/8HHCS	6 42367 00049 3	Hex Head Cap Screw w/Nut(ea)	0.01
1/4X1-1/2	6 42367 05416 8	1/4" Cap Screw(ea)	0.02
1/4-20ACORN	6 42367 04608 8	1/4" Acorn Nut (ea)	0.01
GG51/4	6 42367 01602 9	Ground Screw	0.02
PVCN1002GRAY	6 42367 11742 9	1"x1"x2" LG PVC Nipple	0.05
P15A	6 42367 01986 0	1/4-20 Plated Hex Nut(ea)	0.01
OR009	6 42367 04612 5	O-Ring(ea)	0.01

WCO500 Parts - 5"			
WCO5T	6 42367 04629 3	Cap Casting	1.37
WCO5B	6 42367 04635 4	WCO5 Bottom Ring	0.38
WCOP5B	6 42367 06476 1	WCOP500 Plastic Bottom	0.60
WCO5M	6 42367 07203 2	WCO5 Middle Ring	0.60
WCO5G	6 42367 04568 5	Gasket	0.07
3/4SCREEN	6 42367 05121 1	Vent Screen	0.01
3/4SNAPRING	6 42367 05118 1	Snap Ring	0.01
1/4X7/8HHCS	6 42367 00049 3	Hex Head Cap Screw w/Nut(ea)	0.01
1/4X1-1/2	6 42367 05416 8	1/4" Cap Screw(ea)	0.02
1/4-20ACORN	6 42367 04608 8	1/4" Acorn Nut(ea)	0.01
PVCN1002GRAY	6 42367 11742 9	1"x1"x2" LG PVC Nipple	0.05
P15A	6 42367 01986 0	1/4-20 Plated Hex Nut(ea)	0.01
OR009	6 42367 04612 5	O-Ring(ea)	0.01

WCO600 Parts - 6"			
WCO6T	6 42367 04630 9	Cap Casting	1.62
WCO6B	6 42367 04636 1	Bottom Ring	0.45
WCO6G	6 42367 04574 6	Gasket	0.09
WCO6M	6 42367 07204 9	Middle Ring	0.68
1/4X1-1/2	6 42367 05416 8	1/4" Cap Screw(ea)	0.02
1/4-20ACORN	6 42367 04608 8	1/4" Acorn Nut(ea)	0.01
PVCN1002GRAY	6 42367 11742 9	1"x1"x2" LG PVC Nipple	0.05
P15A	6 42367 01986 0	1/4-20 Plated Hex Nut(ea)	0.01
OR009	6 42367 04612 5	O-Ring(ea)	0.01