

RLK8-1200V4

12MP IK10 Vandal-Proof Camera System with 145° FOV

- 12MP UHD with Spotlight Night Vision
- 145° Super-Wide Viewing Angle
- IK10 Vandal-Proof
- 8-Channel NVR with 2TB HDD



Specifications

Hardware	
Hardware	N7MB01
Video/Audio Input	
IP Video Input	PoE IP Camera x 8
Audio Input	Cameras with built-in mic
Video/Audio Output	
Video Output	
Display Resolution	
Audio Output	1-Channel, RCA
Decoding	
Live View/Playback Resolution	7680×2160, 4608×1728, 4512×2512, 4096×3072, 3840×2160, 2560×2560, 2560×1920, 2560×1440, 2048×1536, 2304×1296, 1080p, 720p
Video Format	H.264, H.265
Synchronous Playback	Up to 4 channels

HDD	
SATA	1 x SATA interface (1 x 2TB HDD included)
Capacity	Up to 16TB (max. 8TB capacity for each HDD)
External HDD	1 eSATA Interface for HDD
External Interface	
USB Interface	2 x USB 2.0
Network Interface	1, RJ-45 10/100 Mbps self-adaptive Ethernet interface for LAN/WAN 8, RJ-45 10/100 Mbps self-adaptive PoE Ethernet interface for IP camera
PoE	
Max. Power Per Port	25W
Supported Standard	IEEE 802.3af/at
Network	
Network Protocols	HTTP, TCP/IP, UDP, DHCP, P2P, UPNP, RTSP, SMTP, SSL/TLS, DNS, DDNS, NTP, FTP
Browsers Supported	Edge, Firefox, Chrome, Safari
OS Supported	PC: Windows, Mac OS; smartphone: iOS, Android
Max. User Access	20 users (1 admin account & 19 user accounts); supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
General	
Power Supply	DC 48V~53V
Power Consumption	<10W (Without HDD&PoE)
Working Environment	Temperature: -10°C~+45°C (14°F~113°F); humidity: 10%~90%
Dimensions	260 x 41 x 230mm
Weight	1.4kg

Warranty

Limited Warranty

2-year limited warranty. For support, visit <https://support.reolink.com/hc/en-us/>.

Gallery & Specs




1. Microphone
2. Metal Housing
3. Spotlight
4. Lens
5. IR LED
6. Daylight Sensor



1. Power Port
2. Ethernet Port
3. Waterproof Lid



1. USB Port
2. Power LED & HDD LED
3. Control Panel



1. On/Off Switch
2. Network
3. RJ45
4. Power Input
5. Audio Out
6. eSATA Port
7. VGA Port
8. HDMI Port
9. USB Port

www.reolink.com