

## ETP-CDMA-V CDMA (Verizon) Cellular Interface

### Description

**ETP-CDMA-V** Cellular Interface for Verizon transforms any Talkaphone ETP-100/ETP-110/ETP-400/ETP-500 Series Analog Call Station into a wireless device where other communication interfaces are not available.

### Features

- Supports the Evolution-Data Optimized (EV-DO) network standard
- RJ11 port allows direct connection of an ETP-100/ETP-110/ETP-400/ETP-500 Series Analog Call Station
- Rugged aluminum enclosure
- Includes omnidirectional antenna and 17-foot cable assembly



### Specifications

Dimensions:	1.2(30.5) H x 4.3(109.2) W x 6.5(165.1) D in(mm)
Weight:	1.0 lbs. (0.45 kg)
Mounting:	Designed to fit wireless towers and wall mounts
Operating Temperature:	-40°F to 176°F (-40°C to +80°C)
Humidity Range:	5% to 95%, non-condensing
Power:	6-16 VDC, 22 watts
LEDs:	Power, status, cellular link, signal strength
Network Provider:	Verizon Wireless
Cellular Connection:	EV-DO
Supported Countries:	United States

### Options

GPS Antenna for E911:	Order model <b>CELLULAR-ANT</b> GPS Antenna for E911 compliance.
Upgrade from ETP-CI:	Order model <b>ETP-CDMA-V-UPG</b> to upgrade from previous generation (2G-based) ETP-CI/CDMA-V cellular interface (does not include an antenna; includes an antenna adapter).
External Power Supply:	Order model <b>86396</b> to add a 12VDC, 5A outdoor rated power supply.

#### IMPORTANT NOTES:

- (1) The ETP-CDMA-V Cellular Interface for Verizon, when installed with the optional GPS antenna (Model **CELLULAR-ANT**), complies with Enhanced 911 (E911) requirements mandated by the Federal Communications Commission (FCC).
- (2) Programming of the ETP-100/ETP-110/ETP-400/ETP-500 Series Analog Call Stations cannot be done through a remote call to the ETP-CDMA-V Cellular Interface for Verizon. For programming, an ETP-100/ETP-110/ETP-400/ETP-500 Series Analog Call Station must be connected directly to a standard analog phone line connection.
- (3) The built-in auto-dialer of the ETP-100/ETP-110/ETP-400/ETP-500 Series Analog Call Stations cannot dial a secondary number in round robin fashion when used in conjunction with the ETP-CDMA-V Cellular Interface for Verizon.
- (4) All programming, diagnostics, and identification of the ETP-100/ETP-110/ETP-400/ETP-500 Series Analog Call Stations are accomplished through the transmitting and receiving of DTMF signals. Cellular transmissions and cellular networks may interfere with and distort these tones. As a result of these irregularities, model ETP-TAL Talk-A-Lert Polling may not function as intended and, therefore, may not be appropriate in that application or environment; ETP-TAL Talk-A-Lert Base Station will not function at all.
- (5) The ETP-CDMA-V Cellular Interface for Verizon supports dialing 911 or a ten-digit phone number that includes an area code. Eleven-digit dialing is accepted when the first digit is a '1'.